

# Centre Point

Founded in 2004 Centre Point Hydraulic has since established a reputation for being on of the leading supplier of hydraulic, pneumatic, and industrial equipment products in the GCC Region. Centre Point's range of fluid power products is developed from a hydraulic - based spectrum. The additional demand for other hoses and accessories has lead to a wide ranging mix today, which also caters to the industrial, hydraulic, thermoplastic rubber and pneumatic hoses, fittings & accessories. We maintain a complete inventory of hydraulic hose fittings and adapters ready to ship to meet your needs. Our extensive range of fittings includes stock in excess of 3000 different variations of JIC, SAE, DIN, BSP, BSPT, NPTF and NPSM made from carbon steel. Brass, stainless steel are also available.


Centre Point's priority is building long – term, service-oriented partnerships that bring our customers greater lifetime value for equipment.

Our team is also equiped to handle training, repair and technical support.

Centre Point Hydraulic proudly stocks and supplies the best brand names in the industry. With support from top quality partner brands such as Eaton, Norma Group and Uniflex, our product specialists are fully equipped to identify, and deliver the highest quality product the industry has to offer. In addition, our specialists provide on-going support and service that you can depend on.

Our brands - RN, Hydroflex, and Itaflex are known for outstanding performance and high quality.

#### **OUR SUPPORTED BRANDS**



HYDRAULIC HOSE FITTINGS

Crimp Ferrules

Metric

DIN

BSP

JIC

**ORFS** 

NPTF, NPSM, SAE

Accessories

Flages

Pushlock & Reusable Hose Fittings

**HYDRAULIC ADAPTERS** 

DIN 2353 Bite Type

BSP

JIC

**ORFS** 

Metric

NPT

SAE Flange Adapters

SAE Flanges

**PNEUMATICS** 

One Touch Fittings

Quick Couplings

Tubes

Accessories

**INDUSTRIAL FITTINGS** 

Hose Fittings

Cam and Groove

Universal Airl Couplings

Sandblast Hose Couplings

Ground Joint Fittings

Accessories

CLAMPS

Pipe Clamps

Hose Clamps

**BRASS PIPE ADAPTERS** 

**VALVES & QUICK RELEASE COUPLINGS** 

Valves

Quick Release Couplings

PIPES

Hydraulic Metal Pipes

Corrugates Metal Hoses

**OILFIELD EQUIPMENT** 

**MISTING SYSTEM** 

**HOSES** 

Hydraulic Rubber Hose

Industrial Rubeer Hose

Thermoplastic

PVC

Hose Protection

**MACHINES** 

Workshop Crimpers

Hose Cutting Machines

Production Crimpers

Peripheral Equipment

Tools & Accessories

**ASSEMBLY DESIGN & SERVICES** 

Pipe Bending

Hydraulic Hose Assembly

Metal Hose Assembly







NO SKIVE R1T/1SN



NO SKIVE R2T/2SN



Part No.: 10 SKIVE R1A - 1 ST



Part No.: 20 SKIVE R2A - 2ST



Part No : 40 SKIVE R9,4SP,4SH/10-16, R12/06-16



SKIVE DIN 20023 4SH, R12/32 HOSE



Part No.: 45 SKIVE 4SH - INTERLOCK



Part No.: 61 DOUBLE SKIVE R13



Part No.: 18 NO SKIVE R7/R8



Part No.: TF TEFLON HOSE



Part No.: 331 NO SKIVE 1SN/2SN





Part No.: 306 METRIC FEMALE 60° CONE



Part No.: 06 METRIC MALE 60° CONE



Part No.: 306-9 90° METRIC FEMALE 60° CONE



Part No.: 700 METRIC BANJO



Part No.: 700M BANJO BOLT METRIC





Part No.: 04 METRIC MALE 24° CONE L/S



Part No.: 304-1 METRIC FEMALE 24° O-RING CONE L/S



Part No.: 304-4 45° METRIC FEMALE 24° O-RING CONE L/S



Part No.: 304-9 90° METRIC FEMALE 24° O-RING CONE L/S



Part No.: 510 METRIC STANDPIPE



Part No.: 510-4 45° METRIC STANDPIPE



Part No.: 510-9 90° METRIC STANDPIPE





Part No.: 222 BSP FEMALE FLAT SEAT



Part No.: 226 BSP FEMALE 60° CONE



Part No.: 226-4 45° BSP FEMALE 60° CONE ELBOW



Part No.: 30 **BSPT MALE** 



Part No.: 26 BSP MALE 60° CONE



Part No.: 720B BANJO BOLT BSP



Part No.: 226-9 90° BSP FEMALE 60° CONE ELBOW



Part No.: 226K-9 90° BSP FEMALE 60° CONE COMPACT ELBOW



Part No.: 720

Part No.: 267 JIC FEMALE 37° CONE



Part No.: 267D JIC FEMALE 37° CONE DOUBLE HEX



Part No.: 267-4 45° JIC FEMALE 37° SEAT







Part No.: 3671 JIC FEMALE 37° SEAT

SLIP-ON NUT



SLIP-ON NUT

Part No.: 67 JIC MALE 37° CONE



Part No.: 267K-9 90° JIC FEMALE 37° SEAT COMPACT



Part No.: 267L-9 90° JIC FEMALE 37° SEAT LONG DROP















































SAE MALE 45° CONE











KARCHER GUN INSERT















"LIFESAVER"







45° FLANGE CODE 62























Part No.: RN28 REUSABLE R2 FERRULE



Part No.: RN58 Part No.: 167R REUSABLE R5 FERRULE REUSABLE JIC MALE 37° CONE



Part No.: 156R REUSABLE NPT MALE



Part No.: 226DR REUSABLE BSP FEMALE **60° CONE DOUBLE HEX** 



PUSHLOCK JIC FEMALE



Part No.: 267P-9 PUSHLOCK JIC 90° FEMALE 37° SEAT

REUSABLE JIC FEMALE 37° SEAT DOUBLE HEX



Part No.: 167P PUSHLOCK JIC MALE 37° SEAT



Part No.: 156P PUSHLOCK NPT MALE



Part No.: 226P PUSHLOCK BSP FEMALE 60° CONE



37° SEAT

### Hydraulic Hose Adapters





Part No.: CG MALE CONNECTOR m Metric X m BSP



MALE CONNECTOR m Metric X m Metric



Part No.: CG-9OG ADJUSTABLE 90° ELBOW m Metric X m BSP



Part No.: C-9 90° ELBOW CONNECTOR m Metric X m Metric



MALE CONNECTOR m Metric X m Metric



Part No.: CB MALE CONNECTOR m Metric X m BSF



Part No.: CB-9 90° ELBOW CONNECTOR

Part No.; CL-BT Banjo MALE CONNECTOR m Metric X m BSP Banjo ADJUSTABLE 90° ELBOW m Metric X m Metric



Part No.: CB-WD MALE CONNECTOR m Metric X m BSP



Part No.: CL-T Banjo MALE CONNECTOR m Metric X m Metric Banjo



MALE CONNECTOR



MALE CONNECTOR m Metric X m Metric



MALE CONNECTOR m Metric X m NPT



Part No.; CN-9 90° ELBOW CONNECTOR m Metric X m NPT



Part No.: CT MALE CONNECTOR m Metric X m BSPT



Part No.: CT-9 90° ELBOW CONNECTOR m Matric X m BSPT



MALE CONNECTOR m Metric X m SAE



Part No.: CW Weld MALE CONNECTOR m Metric X Weld tube



**BULKHEAD UNION** Metric



Part No.: C6-9 BULKHEAD ELBOW UNION Metric



Part No.: CH6-9 Bulkhead Elbow Union m Metric x m Metric flat



Part No.: HC2 Swivel connector m metric flat x f metric



Part No.: C2-W SWIVEL CONNECTOR m Metric X f Metric



Part No.: C2-9W 90° SWIVEL CONNECTOR m Metric X f Metric



SWIVEL CONNECTOR m BSP X f Metric



Part No.: GC2-WS SWIVEL CONNECTOR m BSP X f Metric



Part No.: C3-W SWIVEL CONNECTOR f Metric X f Metric







HOLLOW HEX PLUG





m Metric X f BSP

Part No.: CA MALE TEE

Metric





Part No.: CCHA - OG ADJUSTABLE RUN TEE



Part No.: CCOA - OG ADJUSTABLE RUN TEE m Metric X m Metric X m SAE



Part No.: CGCA - OG ADJUSTABLE BRANCH TEE m Metric X m BSP X m Metric



Part No.: CHCA - OG ADJUSTABLE BRANCH TEE m Metric X m flat Metric X



Part No.: CLA - T DOUBLE BANJO ELBOW



Part No.: COCA - OG ADJUSTABLE BRANCH TEE



Part No.: R-L/S CUTTING RING DIN 2353



Part No.: CU BRANCH TEE SWIVEL Metric



Part No.: CR RUN TEE SWIVEL Metric



Part No.: CX MALE CROSS Metric



Part No.: C5P-9 PUMP CONNECTOR m Metric





Part No.: N-L/S NUT DIN 2353



Part No.: C8 LOCK NUT







Part No.: WC2 WELD NIPPLE



Part No.: B MALE CONNECTOR m BSP X m BSP



Part No.; B-4 45° ELBOW CONNECTOR m BSP X m BSP



Part No.: B-9 m BSP X m BSP



Part No.: BF MALE CONNECTOR m BSP X m ORFS



Part No.: BG MALE CONNECTOR m BSP X m BSP



BSP

Part No.: BG-4OG ADJUSTABLE 45° ELBOW m BSP X m BSP



Part No.: BG-9OG ADJUSTABLE 90° ELBOW m BSP X m BSP



Part No.: BH MALE CONNECTOR



Part No.: BJ MALE CONNECTOR m BSP X m JIC



Part No.: BJ-9 90° ELBOW CONNECTOR m BSP X m JIC



Part No.: BM MALE CONNECTOR m BSP X m Metric





Part No.: BN-4 45° ELBOW CONNECTOR m BSP X m NPT



Part No.: BN-9 90° ELBOW CONNECTOR m BSP X m NPT



Part No.: BO MALE CONNECTOR



Part No · BO-4OG ADJUSTABLE 45° ELBOW



ADJUSTABLE 90° ELBOW



Part No.: BT MALE CONNECTOR



45° ELBOW CONNECTOR m BSP X m BSPT



Part No.: BT-9 90° ELBOW CONNECTOR m BSP X m BSPT



Part No.: T MALE CONNECTOR m BSPT X m BSPT



Part No.: T-9 90° ELBOW CONNECTOR m BSPT X m BSPT



Part No.: B6 BULKHEAD UNION



SWIVEL CONNECTOR m BSP X f BSP



Part No.: B2-4 45°SWIVEL CONNECTOR m NPT X f.BSP



Part No.: B2-9 90° SWIVEL CONNECTOR m BSP X f BSP



Part No.: BT2 SWIVEL CONNECTOR m BSP X f JIC



Part No.: NB2 SWIVEL CONNECTOR m NPT X f BSP



Part No.: NB2-9 90° SWIVEL CONNECTOR m NPT X f BSP



Part No.: TB2 SWIVEL CONNECTOR m BSPT X f BSP



Part No.: B3 SWIVEL CONNECTOR fBSP X fBSP



Part No.: B3-9 90° SWIVEL CONNECTOR fBSP X fBSP



Part No.: B5 MALE FEMALE CONNECTOR m BSP X f BSP



90° MALE - FEMALE CONNECTOR m BSP X f BSP







Part No.: TB5
MALE FEMALE CONNECTOR



Part No.: GB5 MALE FEMALE CONNECTOR



Part No.: BJ5
MALE FEMALE CONNECTOR



Part No.: T5
MALE FEMALE CONNECTOR m BSPT X f BSPT



Part No.: TB5 MALE FEMALE CONNECTOR m BSPT X f BSP



Part No.: B7 FEMALES CONNECTOR f BSP



Part No.: B7-9 90° ELBOW FEMALE BSP



Part No.: B4 PLUG BSP



Part No.: BN4-S



Part No.: T4 PLUG BSPT



Part No.: TN4 HOLLOW HEX PLUG BSPT



Part No.: B9 SWIVEL CAP BSPT



Part No.: BA MALE TEE BSP



Part No.: BBGA - OG ADJUSTSABLE RUN TEE BSP



HOLLOW HEX PLUG BSP

Part No.: BGBA - OG ADJUSTABLE BRANCH TEE



MALE TEE BSPT



Part No.: BU BRANCH TEE SWIVEL BSP



RUN TEE SWIVEL BSP



FEMALE SWIVEL TEE BSP



FEMALE TEE BSP



FEMALE CROSS BSP



LOCK NUT BSP



BONDED SEAL





Part No.: JH MALE CONNECTOR m JIC X m Metric



Part No.: J MALE CONNECTOR m JIC X m JIC



Part No.: J-9 90° ELBOW CONNECTOR



Part No.: JO MALE CONNECTOR



Part No.: JO-9 90° ELBOW CONNECTOR m JIC X m SAE



Part No.: JG-90G ADJUSTABLE 90° ELBOW m JIC X m BSP





Part No.: JH-40G ADJUSTABLE 45° ELBOW m JIC X m Metric



Part No.: JH-9OG ADJUSTABLE 90° ELBOW m JIC X m Metric



Part No.: JM MALE CONNECTOR m.IIC.X m Metric



MALE CONNECTOR m JIC X m NPT



Part No.:JN-9 90° ELBOW CONNECTOR m JIC X m NPT



Part No.: JO-4OG ADJUSTABLE 45° ELBOW



Part No.: JT MALE CONNECTOR m.JIC.X m.BSPT



Part No.: JT-4 45° ELBOW CONNECTOR



Part No.: JT-9 90° ELBOW CONNECTOR



Part No.: JA BULKHEAD UNION JIC



Part No.: J2 SWIVEL CONNECTOR



Part No.: J2-4 45° SWIVEL CONNECTOR



Part No.: J2-9 90° SWIVEL CONNECTOR m JIC X f JIC



Part No.: J3 SWIVEL CONNECTOR f JIC X f JIC



Part No.: J3-4 45° SWIVEL CONNECTOR f JIC X f JIC



Part No.: J3-9 90° SWIVEL CONNECTOR f JIC X f JIC



Part No : .14 PLUG JIC





Part No.: J9C



Part No.: JN5-9 CONNECTOR m JIC X f NPT



ADJUSTABLE BRANCH TEE m JIC X m BSP X m JIC



Part No.: AJJG - OG ADJUSTABLE RUN TEE



Part No.: JJHA - OG ADJUSTABLE RUN TEE m JIC X m JIC X m Metric



Part No.: JNJO BRANCH TEE CONNECTOR m JIC X m NPT X m JIC



Part No.: JOJA - OG ADJUSTABLE BRANCH TEE m JIC X m SAE X m JIC



MALE TEE JIC



BRANCH TEE SWIVEL JIC



RUN TEE SWIVEL JIC



Part No.: JD FEMALE SWIVEL TEE JIC

**ORFS** 



Part No.: JX MALE CROSS JIC







LOCK NUT JIC





Part No.: F-9 90° ELBOW CONNECTOR m ORFS X m ORFS



MALE CONNECTOR



Part No.: FG-40G ADJUSTABLE 45° ELBOW m ORFS X m BSP



Part No.: FG-90G ADJUSTABLE 90° ELBOW m ORFS X m BSP



m ORFS X m Metric



MALE CONNECTOR

ADJUSTABLE 90° ELBOW



Part No.: FN MALE CONNECTOR m ORFS X m NPT



Part No.: FO MALE CONNECTOR m ORFS X m SAE



Part No.: FO-4OG ADJUSTABLE 45° ELBOW m ORES X m SAE



Part No.: FO-90G ADJUSTABLE 90° ELBOW m ORFS X m SAE



Part No.: F6 BULKHEAD UNION ORFS



Part No.: F2 SWIVEL CONNECTOR m ORES X f ORES



Part No.: F2-4 45° SWIVEL CONNECTOR



Part No.: F2-9 90° SWIVEL CONNECTOR



Part No.: OF-2 SWIVEL CONNECTOR



Part No.: F4 PLUG ORFS



Part No.: F9 SWIVEL CAP ORFS



Part No.: FFHA - OG ADJUSTABLE RUN TEE m ORFS X m ORFS X m Metric



Part No.: FFOA - OG ADJUSTABLE RUN TEE m ORFS X m ORFS X m SAE



Part No.: FGFA - OG ADJUSTABLE BRANCH TEE m ORFS X m BSP X m ORFS



Part No.: FHFA - OG ADJUSTABLE BRANCH TEE m ORFS X m Metric X m ORFS



Part No.: FOFA - OG ADJUSTABLE BRANCH TEE m ORFS X m SAE X m ORFS



LOCK NUT ORFS







Part No.: Q MALE CONNECTOR



Part No.: QH MALE CONNECTOR m Metric X m Metric



Part No.: QO MALE CONNECTOR



**METRIC** 

Part No.: QM MALE CONNECTOR m Metric X m Metric



Part No.: QN MALE CONNECTOR m Metric X m NPT





Part No.: E4 PLUG Metric



PLUG Metric



PLUG Metric



www.cp-dubai.com | +971 4 885 6150





Part No.: H6



Part No.: H6-9 Bulkhead Elbow



Part No.: E9 SWIVEL CAP Metric



Part No.: HA MALE METRIC TEE



Part No.: EX MALE CROSS Metric



Part No.: BSM BONDED SEAL







Part No.: TN4 HOLLOW HEX PLUG NPT

Part No.: N MALE CONNECTOR m NPT X m NPT





Part No.: NU2 SWIVEL CONNECTOR m NPT X f NPSM



Part No.: NU9 90° SWIVEL CONNECTOR m NPT X f NPSM



Part No.: OU2 SWIVEL CONNECTOR m SAE X f NPSM



Part No.: N4 PLUG NPT





Part No.: N9C CAP NPT



Part No.: N5
MALE FEMALE CONNECTOR
m NPT X f NPT



Part No.: NR5 MALE FEMALE REDUCER



Part No.: N5-9 90° MALE FEMALE CONNECTOR m NPT X f NPT



Part No.: ON5
MALE FEMALE CONNECTOR
m SAE X f NPT



FEMALE CONNECTOR NPT



Part No.: N7-9 90° ELBOW FEMALE NPT







Part No.: ANA MALE TEE NPT



Part No.: NH RUN TEE MALE CONNECTOR f NPT X f NPT X m NPT



BRANCH TEE MALE CONNECTOR F NPT X F NPT



Part No.: NZ FEMALE CROSS NPT



Part No.: NU7-9 90° ELBOW FEMALE f NPT X f Swivel NPSM



SAE Flange



Part No.: FLW WELD PLANGE CONNECTOR



Part No.: FSW WELD PLANGE CONNECTOR S-series flange X Weld tube

NPT Threaded



Part No.: JFL MALE FLANGE CONNECTOR m JIC X L-series flange



Part No.: JFL-4 45° ELBOW FLANGE CONNECTOR











Part No.: FI-3/6-C/D WELD IN SOCKET-WELD

Part No.: FO-3/6-C/D WELD ON BUTTWELD

Part No.: FP-3/6-C/D BUND

### Oilfield Equipment









Part No.: PU UNION PUSH - IN FITTING UNION ELBOW





UNION CROSS



Part No · PK MULTI UNION



BSP MALE



Part No.: PL BSP MALE ELBOW



Part No.: PLF BSP FEMALE



Part No.: PY

UNION Y

Part No.: PB MALE BRANCH TEE



Part No.: PD BSP MALE RUN TEE



Part No.: PX BSP MALE Y



Part No.: PKD BSP MALE MULTI UNION



Part No.: PSC SPEED CONTROLLER



Part No.: HVSF HAND VALVE



Part No.: AEV METAL FEMALE ELBOW



Part No.: AEL METAL MALE FEMALE ELBOW



Part No.: PMU METAL UNION



Part No.: PMV METAL UNION ELBOW



Part No.: PME METAL UNION Tee



Part No.: PMC METAL BSP MALE



Part No.: PML METAL BSP ELBOW





Part No.: QNASM AUTO COUPLING SOCKET MALE



Part No.: QNASF AUTO COUPLING SOCKET FEMALE



Part No.: QNASH AUTO COUPLING SOCKET HOSE



Part No.: QNSM SOCKET MALE



Part No.: QNSF SOCKET FEMALE



Part No.: QNSH SOCKET HOSE



Part No.: QNSN SOCKET NUT



Part No.: QNPM PLUG MALE



Part No.: QNPF PLUG FEMALE



Part No.: QNPH PLUG HOSE



Part No.: QNPN PLUG NUT



Part No.: QNMSV Dual Pass Coupler



Part No.: QNMSY 3 WAY COUPLER



Part No.: QNMSW# COUPLING MANIFOLD DOUBLE W/COUPLING



Part No.: QNMS# MULTI PORT MANIFOLDS



Part No.: PTS Spiral Tube w/ Coupling 5m-10m-15m



Part No.: PTSH PU SPIRNG HOSE 5m-10m-15m



Part No.: PTU PU Tube COIL 4 COLORS



Part No.: PTA NYLON/ PA TUBING BLACK







Air Hose Blow Gun



FOOT PEDAL MECHANICAL VALVE



Part No.: PVSG FOOT PEDAL WITH GUARD MECHANICAL VALVE







AIR BLOW GUN



AIR BLOW GUN PLASTIC



Part No.: RTDG3A AIR BLOW GUN PLASTIC.



Part No.: RTDG4 AIR BLOW GUN



Part No.:RTWG1 TIRE INFLATING GUN



Part No.: RTWG2 TIRE CONTROL PRESSURE GAUGE



Part No.: RTWAC1 DUAL FOOT AIR CHUCK



Part No.: RTWAC2 CLIP-ON BALL FOOT AIR CHUCK



Part No.: RTWAC3 STRAIGHT AIR CHUCK WITH CLIP-ON



Part No.: RTWAC4 STRAIGHT AIR CHUCK WITH CLIP-ON



Part No.: PVM1 MECHANICAL VALVE



Part No.: PGB PLASTIC / SS 1,5" - 6"





Part No.: PS1 STINTERED BRONZE SILENCER



Part No.: PAPF AIR PREPERATION



Part No.: PAPFG FRL TYPE AIR PREPERATION



Part No.: PAPF2 AIR PREPERATION



Part No.: PAPF3 FRL TYPE AIR PREPERATION



Part No.: PVS1 SOLENOID VALVE PILOT ACTING



Part No.: PVS2 SOLENOID VALVE PILOT ACTING



Part No.: PVSB SOLENOID VALVE BRASS BODY



AIR ACTUATED VALVE



Part No.: PVA2 AIR ACTUATED VALVE



CYLINDER

### Industrial Fittings





Part No.: IKC Heavy duty KC Nipple



Part No.: IK KC Nipple



Part No.: IKG Groove KC Nipple



Part No.: IKM Hose Mender





Part No.: IKFL Light Duty Ferrule



Part No.: ISC Suction Hose Coupling



Bauer Coupling



Part No.: IC-A TYPE A



Part No.: IC-DC TYPE DC



Part No.: IC-B TYPE B AL-BR-SS316



AL-BR-SS316



Part No.: IC-E TYPE E AL-BR-SS316



TYPE F





























Grount Joint **Fittings** 











Part No.: IGMS MALE STEM









Part No.: IF2 WELDING ADAPTOR BSP 60° CONE








Part No.: IF5 NUT FOR WELDING NIPPLE BSP 60° SEAT







Part No.: IF1 WELDING ADAPTOR BSPT

Part No.: IF7 Swivel Flange x4



Part No.: IF8 Threaded Flange x8

Part No.: TCPLL PP - Light Series




Part No.: IF9 Welding Neck Flange



UNION WELD FEMALE

Part No.:IWC WHIPCHECK HOSE TO HOSE

### Clamps











































PIPE NIPPLE



### Brass Pipe Adapters



Part No.: B017 BRASS FERRULES



Part No.: B7B9 FEMALE PIPE ELBOW



Part No.: B1261 MALE HOSE FITTINGS



Part No.: B5B9 STREET COUPLING



Part No.: B1C UNION



Part No.: BGT FEMALE PIPE TEE



Part No.: B7B PIPE COUPLING



Valves & Quick Release Couplings









Part No.: VBM Brass Mini Ball Valve Female Forged



Part No.: VBG Brass Gate Valve



Part No.: VDN Low Pressure

Part No.: VHFU Single Acting Control Valve



Part No.: VHB BSP Female High Pressure Ball Valve



Metric Male High Pressure Ball Valve



Part No.: VCNG CNG, Water, Steam High Pressure Ball Valve



BSP Female Tee High Pressure Ball Valve



Part No.: VBCS Brass Swing Check Valve



Part No.: VHM3 Metric Male Tee High Pressure Ball Valve



Part No.: VBCV Brass Vertical Check Valve



Part No.: VHFB Double Acting Control Valve



Part No.: VBCF Brass Check Valve with Filter













Part No.: QCA A series ISO 7241 Carbon Steel



Part No.: QCAS A series ISO 7241 AISI 316 SS



Part No.: QCB B series ISO 7241 Carbon Steel















### Metal Pipes







Part No.: ST SEAMLESS TUBE DIN 2353 Hydraulic Precision Tube



Corrugated Pipe SS304/316/321



Part No.: STC COPPER TUBE













### Misting System









900R3	ITAFLEX	Low pressure and low impulse hydraulic lines 30 to 110 bar. Exceeds SAE 100 R3 - EN854R3
R6	ITAFLEX	Very low pressure and low impulse hydraulic lines 20 to 35 bar. Exceeds SAE 100 R6 - EN854 R6
1SN	ITAFLEX	Medium Pressure Hydraulic Lines 40 to 250 bar and requires compact outer diameter. Exceeds SAE 100 R1AT - EN853 15N
25N	ITAFLEX	High Pressure Hydraulic Lines <b>80</b> to <b>415 bar</b> and requires compact outer diameter. Exceeds <b>SAE 100 R2AT - EN853 2SN</b>
2SC	ITAFLEX	Constant Pressure Hydraulic Lines <b>210 bar</b> and requires compact outer diameter. Exceeds <b>SAE 100 R16 - EN857 2SC</b>
R5		Medium Pressure Hydraulic Lines <b>25</b> to <b>210 bar</b> . For use with fluids in Hydraulic systems Can also be used in air & water. Exceeds <b>SAE 100 R5</b>
4SP	ITAFLEX	Very high pressure Hydraulic Lines <b>165</b> to <b>450 bar</b> and hydrostatic transmission lines. Exceeds <b>SAE 100 R9R - EN856 4SP</b>
4SH	ITAFLEX	Very high pressure Hydraulic Lines <b>250</b> to <b>420 bar</b> and hydrostatic transmission lines. Exceeds <b>SAE 100 4SH - EN856 4SH</b>
R13	ITAFLEX	<b>350 Bar</b> super high pressure Hydraulic Lines and hydrostatic transmission lines. Exceeds <b>SAE 100 R13 - EN856 R13</b>
R15	ITAFLEX	<b>420 bar</b> super high pressure Hydraulic Lines and hydrostatic transmission lines. Exceeds <b>SAE 100 R15 - EN856 R15</b>
WATERBLAST 30K	ITAFLEX	Very high pressure hose for water descaling system.
WATERBLAST 50K	ITAFLEX	Water blasting, Water jetting, cleaning, cleaning equipment. Delivery of water and water emulsions.
HYDROWASH 1SN - 1SC	ITAFLEX	For cleaners, suitable for passage of water and detergents in aqueous solutions



HYDROWASH 2SN - 2SC



For cleaners, suitable for passage of water and detergents in aqueous solutions.

**ACR134** 



For liquids or gas of R134A in automative and bus air conditioning systems.

R14



P.T.F.E hose has an excellent temperature characteristics both in high and low temperature, Excellent chemical resistance, non contamination properties, low coefficent of friction and resists deterioration.

### Thermoplastic Hose

R7

Medium Pressure Hydraulic Lines 80 to 230 bar.

R8



High pressure Hydraulic Lines 140 to 420 bar.

**R8 TWIN** 



High pressure Hydraulic Lines 140 to 350 bar.

TP1



Medium pressure Hydraulic Lines 100 to 350 bar.

TP2



High pressure Hydraulic Lines 150 to 450 bar.

**SEWER JETTING** 



Compact Sewer cleaning vehicles and lateral Sewer line cleaning equipments. 250 bar.

CNG



Refueling hose specially designed for conveying compressed natural gas. Dissipates static build-up. Confirms to **NFPA52** 

**AIRLESS PAINT** 



High pressure Airless paint spray system for 140 to 350 Bar.

HI PRESSURE



Compact, high pressure, light weight, high abrasion resistance and low change in length for use with petroleum, synthetic or water based fluids. Hydraulic Lines **700 BAR** 



ULTRA HI PRESSURE



Very High Pressure Hydraulic Lines 1040 bar.

**MICRO** 



Very High pressure mini Hydraulic Lines 250 to 630 BAR

Compressed air service in severe working conditions in mines,

quarries and industrial applications.

WP 30 to 60 bar

### Industrial Rubber Hose | Air

AIR LL20	ITAFLEX	Long lenght medium duty air hose for air drill. <b>WP 20 b</b> ar
AIR P20	TARLEX TARLEX TARLEX	Special PVC Hose suitable for pneumatic equipment and tools.  WP 20 bar
AIR 10	ITAFLEX	Mandrel built heavy duty air hose. <b>WP 10 bar</b>
AIR 20	ITAFLEX	Mandrel built heavy duty air hose. <b>WP 20 bar</b>
Air C	ITAFLEX	Mandrel built light and flexible suction hose for air and high abrasive powder.  Temperature: - 35 C + 70 C

### Industrial Rubber Hose | Water

ITAFLEX

WATER LL10	ПАРLEX	Long lenght hose general purpose water delivery hoses.  WP 10 bar
WD 10	ITAFLEX	Mandrel built water delivery hose suitable for irrigation systems and submersible pumps.  WP 10 bar
WD 20	IT: AFLEX	Mandrel built general purpose water delivery hose for water and non corrosive fluids.  WP 20 bar

**AIR STEEL** 



**WSD 10** 



Mandrel built water suction and delivery hose suitable for water and non corrosive fluids. Heavy Duty.

WP 10 bar

WSD 20



Mandrel built water suction and delivery hose suitable for water and non corrosive fluids. Heavy Duty.

WP 20 bar

Suction and Delivery hose for hydraulic fluids. **Exceeds SAE 100 R4** 

Extremely flexible hose for suction and delivery of fuel, lubricants and other petroleum liquids with aromatic content up to 40%

WP 15 bar

### Industrial Rubber Hose | Oil

FUEL LL20	ПАРЫХ	Special hose for delivery of oil, gasoline, and diesel with up to 40% aromatic content SAE J30 R7  WP 20 bar
PETROL PUMP	ITAREX	Antistatic Hose for pumping diesel, petrol, and lead free petrol.  WP 16 bar
FUEL TEXTILE	ITAFLEX	Hose for delivery of oil, petrol and diesel.  WP 10 bar
FUEL STEEL	TAFLEX	Hose for delivery of oil, petrol, diesel and lubricants  WP 15-25 bar
FUEL OIL 10	ITAFLEX	Delivery hose for oil, gasoline, diesel with aromatic content up to 40% <b>WP 10 bar</b>
FUEL OIL 20	ITAFLEX	Delivery hose for oil, gasoline, diesel with aromatic content up to 40% WP 20 bar
OSD 10	ITAFLEX	Suction and Delivery hose for oil, gasoline, diesel with aromatic content up to 40%.  WP 10 bar
OSD 20	ITAFLEX	Suction and Delivery hose for oil, gasoline, diesel with aromatic content up to 40%.  WP 20 bar

R4

OSD C15



OXYGEN	ITAFLEX	Oxygen delivery hose, for welding and technical applications in shipyards, construction and manufacturing industries.  WP 20 bar
ACETYLENE	TAFLEX	Acetylene delivery hose for welding and technical applications in shipyards, construction and manufacturing industries.  WP 20 bar
NITROGEN	ITAFLEX	Nitrogen service hose. Transfer of nitrogen at ambient temperatures.  WP 20 bar
CNG/LPG	ПАЯЛЕХ	Low pressure hose, long length, used in vehicles for methane gas CNG and LPG installations according to regulations R.110-00 Class2 and R67-01 Class 2. WP 5 bar <b>WP 20 bar</b>
LPG 25	IT <b>A</b> FLEX	Antistatic LPG delivery hose. EN1762.  WP 25 bar
TWIN WELDING	TTAFLEX	Specially designed Oxy-acetylene welding and cutting equipments.  WP 20 bar
MULTIPURPOSE	ITAFLEX	Premium quality hose for air, water, fuel, oil and other common solvents.  WP 20 bar

## Industrial Rubber Hose | Bulk Materials

CEMENT 6	ITAFLEX	Mandrel built bulk material delivery hose suitable for abrasive materials such as cement, chalk, lime and abrasive powders in small granulometry.  WP 6 bar
GROUT 12	ITAFLEX	Mandrel built delivery hose for plaster, grout slurry, chalk and abrasive material.  WP 12 bar
SANDBLAST 12	ITAFLEX	Hose conveying highly abrasive materials, for shotblasting and other media as quartz, sand, steel and glass shot, corundum, etc.  WP 12 bar
CEMENT 20	ITAFLEX	Mandrel built bulk material suction and delivery hose.  WP 20 bar
CONCRETE 40	ITAFLEX	Mandrel built high pressure delivery hose plaster, concrete, slurry and abrasive materials with small granulometry.  WP 40 bar



**CONCRETE 80** 



Mandrel built steel reinforced concrete placement hose.

WP 85 bar

VIBRATOR 10



Hose for electric pneumatic vibrators. WP 10 bar

BULK SD



Suitable for pneumatic conveying (suction and discharge) in industrial applications of dry cement, coal, RDF, minerals, ceramic powder, glass recovery, glassfiber, and storage warehouse and silos.

WP 5 bar

### Industrial Rubber Hose | Chemical

CHEMICAL EPDM



Mandrel built delivery hose designed to convey organic and non organic acids in high concentration, salts, bases, ketones and dye-stuff for cloth.

WP 16 bar

CHEMICAL UHMWPE



Mandrel built multipurpose delivery hose designed for acids, bases, ketons, aldheyds, esters, and aromatic, aliphatic hydrocarbons (limited resistance to chlorinated hydrocarbons).

WP 16 bar

CHEMICAL XLPE



Mandrel Build Delivery hose designed for acids, bases, ketons, aldehydes, ester, aromatic and aliphatic hydrocarbons.

WP 16 bar

CHEMICAL S EPDM



Mandrel built suction and delivery hose designed to convey organic and non organic acids in high concentration, salts, bases, ketones and dye-stuff for cloth.

WP 16 bar

CHEMICAL S UHMWPE C



Mandrel built multipurpose suction and delivery hose designed for acids, bases, ketons, aldheyds, esters, aromatic and aliphatic hydrocarbons -FDA approved.

WP 16 bar

CHEMICAL S XLPE



Mandrel Build S/D hose designed for acids, bases, ketons, aldehydes, ester, aromatic and aliphatic hydrocarbons.

WP 16 bar

#### Industrial Rubber Hose | Steam

**VAPOR** 



Steam hose designed at max. 164 °C for cleaning, sterilization and washdown.

WP 8 bar

STEELVAPOR



For delivery of saturated steam up to 206 °C and superheated steam with peaks up to 232 °C.

WP 18 bar



FIBERGLASS 20



Mandrel built glassfibre covered coolant hose. Insulating.
Perforation value 25.000 V.

WP 20 bar

FIBERGLASS 6



Mandrel built glassfibre covered hose for cable protection in steel factories, resistant to steel splashes.

WP 6 bar

FIBERGLASS G



Mandrel built delivery hose for injection of oxygene in the steel industry.

Temperature: - 30 C + 100 C

FIBERGLASS S10



Mandrel built cooling water S/D hose with insulating properties for steel and glass manufacturing industry.

WP 10 bar

### Industrial Rubber Hose | Food

FOOD 10



Mandrel built food hose suitable for delivery of milk, dairy products, alcoholic drinks with low alcoholic content, fruit juices and oily and fatty foodstuffs of animal or vegetable origin.

WP 10 bar

FOOD SD 10



Mandrel built suction and delivery food hose for milk collecting trucks, easy handling is guaranteed by its high flexibility and lightweight.

WP 10 bar

SPECIALFOOD 10



Mandrel built food hose suitable for suction and delivery of wine, beer, mineral water, fruit juices, milk, yoghurt and fatty foods of vegetable origin. WP 10 bar

SPECIALFOOD SD 10



Mandrel bult bulk food suction and delivery hose for conveying liquid and highly abrasive solid food in granular or powder form: sugar, grain, cereals, etc. Especially suitable for PVC granulates.

WP 10 bar

### Industrial Rubber Hose | Marine

CARBOPOMP



Delivery of petrol, diesel and biodiesel to engine on private boats. up to 24 mt.

CARBOPOMP/M




Delivery of petrol, diesel oil, biodiesel to engine on private boats up to 24 mt.

**EASYFLEX 7** 



Marine hose for machinery spaces and spaces with fire risk on private boats over 24m and on working boats, for exhaust fuel and lubricating systems.





### Protection Hose











S2A

A mobile hose crimper for flexible use. There are several variants of this hose crimper you can choose from, a manual one with compressed air drive, an electric -1 phase and a DC variant.



#### S2M

For the low volume user who has a requirement to crimp hoses in a repair type of environment rather than production, but wants to crimp bigger hoses than S1M model.



#### S6 ecolines

The S6 ecoline crimper is for the workshop (or mobile) volume user who has a requirement to crimp hoses in a repair or medium production environment in a workshop or mobile van.







HM 200 Ecoline DC

For the workshop volume user who has a requirement to crimp hoses in a repair or medium production environment in a workshop or mobile van.



**S7** 

For the low volume user who has a requirement to crimp hoses in a repair type ofenvironment rather than production.



S8i / S10i Ecolines

The new 2" hydraulic workshop crimper doubles as 4" industrial



#### S10i

For the workshop volume user who has a requirement to crimp 2" hoses in a repair or medium production environment in a workshop or container on site.

### Hose Cutting Machines



#### EM3

For each type of workshop:
This cutting machine with its 3 kW drive is also available as an ecoline or DC variant.
For hydraulic hoses up to 1 1/4".



#### EM 3 DC

the EM3 DC is designed for mobile van or truck operator.



#### **EM 6 M**

Unique drive motors with double bearings and oversized shafts to avoid vibration.



**EM8 M** 

Its cutting motors ensure optimum cutting results thanks to their unique minimum vibration. 4.6 kW drive. For hydraulic hose assemblies up to 2" and industrial hose assemblies up to 4".



#### EM8P

The EM8 P is designed for medium production workshop cutting up to 2" six wire hoses.



M110

The safe high-quality cutting machine for the production process. 7.5 kW drive max. For hydraulic hose assemblies up to 2" and industrial hose assemblies up to 4".

### **Production Crimpers**



HM220

Its unrivaled accessibility makes ergonomic working possible – optionally from both sides – in production and series manufacture.



#### HM 325/375/380

Combining a convincingly solid construction with a high level of user friendliness, and long service life, the HM3xx set a new standard for quality and cost effectiveness.



#### HM480

For the production volume user who has a requirement to crimp 3" hydraulic hoses in a repair or high production environment, large Industrial Hoses up to 10" in diameter.

### Peripheral Equipment



USM 2

This unit is designed for the predominantly non-skive assember who has an occasional need to skive hoses.



#### **USM 10 ECOLINE**

This unit is designed for the predominantly for medium batch skiving of hoses.



#### **UNE 10**

A high-performance nipple inserter for inserting fittings that are difficult to assemble.



#### UP 10 ecoline

This embossing device in compact tabletop design is convincing thanks to easiest handling.



#### PR 10

The use of gas conducting hoses (e.g. air, nitrogene etc.) requires the perforation of the cover.



### RG10

This hose cleaning machine with two flushing heads is suited for all types of hose and tube assemblies.




























### Assembly Design Services

PIPE BENDING



HYDRAULIC HOSE ASSEMBLY



METAL HOSE ASSEMBLIES



NOTE:	Centre Point
	************************************
	***************************************
	***************************************



**Tel:** +971 4 885 6150 **Fax:** +971 4 885 6151

Dubai Investment Park 1 P.O Box: 171427 Dubai, U.A.E

centrepoint@cp-dubai.com www.cp-dubai.com

